

コールドフラットバー <HL・#600・シルバー・角棒>

鋼種／SUS304



コールドフラットバー <4M・5M・6M>

サイズ 厚さ×幅	長さ	kg/P	S B	H L	フ ジ ン	コ シ ル バ ド
2X 6	2,000	0.190	●			
2X 8	〃	0.254	●			
2X 9	〃	0.286	●			
2X 10	〃	0.318	●			
2X 10	3,000	0.477	●			
2X 10	4,000	0.636	●	●		
2X 12	〃	0.760	●			
2X 15	〃	0.952	●	●		
2X 20	〃	1.27	●	●		
2X 25	〃	1.59	●	●		
2X 30	〃	1.90	●	●		
2X 32	〃	2.03	●	●		
2X 38	〃	2.41	●			
2X 40	〃	2.54	●	●		
2X 45	〃	2.86	●	●		
2X 50	〃	3.17	●	●		
3X 5	3,000	0.357	●			
3X 6	4,000	0.568	●			
3X 7	〃	0.668	●			
3X 8	〃	0.760	●			
3X 9	〃	0.856	●			
3X 10	〃	0.952	●	●		
3X 12	〃	1.14	●	●		
3X 13	〃	1.24	●	●		
3X 15	〃	1.43	●	●	●	
3X 16	〃	1.52	●	●		
3X 19	〃	1.81	●	●		
3X 20	〃	1.90	●	●	●	
3X 22	〃	2.09	●	●		
3X 25	〃	2.38	●	●	●	
3X 30	〃	2.86	●	●	●	●
3X 32	〃	3.04	●	●	●	●
3X 35	〃	3.33	●	●		
3X 38	〃	3.62	●	●	●	●
3X 40	〃	3.81	●	●	●	●
3X 42	〃	4.00	●	●		
3X 45	〃	4.28	●	●		
3X 48	〃	4.56	●	●		
3X 50	〃	4.76	●	●	●	●
3X 60	〃	5.72	●	●	●	
3X 65	〃	6.20	●	●		

●印は即納品です。

サイズ 厚さ×幅	長さ	kg/P	S B	H L	フ ジ ン	コ シ ル バ ド
3X 75	4,000	7.12	●	●	●	●
3X 90	〃	8.56	●			
3X 100	〃	9.52	●	●	●	
3X 110	〃	10.5	●			
3X 120	〃	11.4	●			
3X 125	〃	11.9	●			
3X 130	〃	12.4	●			
3X 140	〃	13.3	●			
3X 150	〃	14.3	●			
4X 9	〃	1.14	●			
4X 10	〃	1.27	●	●		
4X 11	〃	1.40	●	●		
4X 12	〃	1.52	●			
4X 13	〃	1.65	●	●		
4X 15	〃	1.90	●	●	●	
4X 16	〃	2.03	●	●		
4X 17	〃	2.16	●			
4X 19	〃	2.41	●	●		
4X 20	〃	2.54	●	●	●	
4X 22	〃	2.79	●	●		
4X 25	〃	3.17	●	●	●	
4X 30	〃	3.81	●	●	●	
4X 32	〃	4.08	●	●	●	
4X 35	〃	4.44	●	●		
4X 38	〃	4.84	●	●	●	
4X 40	〃	5.08	●	●	●	
4X 45	〃	5.72	●	●		
4X 50	〃	6.36	●	●	●	
4X 60	〃	7.60	●	●	●	
4X 65	〃	8.24	●	●		
4X 75	〃	9.52	●	●	●	
4X 90	〃	11.4	●	●		
4X 100	〃	12.7	●	●	●	
5X 8	〃	1.27	●			
5X 9	〃	1.43	●			
5X 10	〃	1.59	●	●		
5X 12	〃	1.90	●	●		
5X 13	〃	2.06	●	●		
5X 15	〃	2.38	●	●	●	
5X 16	〃	2.54	●	●		
5X 19	〃	3.01	●	●		


コールドフラットバー <4M・5M・6M>

サイズ 厚さ×幅	長さ	kg/P	C B	H L	フ アン	コシ ルバ ドリ
5× 20	4,000	3.17	●	●	●	
5× 22	〃	3.49	●	●		
5× 25	〃	3.96	●	●	●	
5× 30	〃	4.76	●	●	●	●
5× 32	〃	5.08	●	●	●	●
5× 34	〃	5.40	●	●		
5× 35	〃	5.56	●	●		
5× 38	〃	6.04	●	●	●	●
5× 40	〃	6.36	●	●	●	●
5× 50	〃	7.92	●	●	●	●
5× 60	〃	9.52	●	●	●	
5× 65	〃	10.3	●	●	●	●
5× 75	〃	11.9	●	●	●	●
5× 90	〃	14.3	●	●		
5×100	〃	15.8	●	●	●	
5×130	〃	20.6	●			
5×150	〃	23.8	●			
6× 9	〃	1.71	●			
6× 10	〃	1.90	●	●		
6× 12	〃	2.28	●	●		
6× 13	〃	2.48	●	●		
6× 15	〃	2.86	●	●	●	
6× 16	〃	3.04	●	●		
6× 18	〃	3.42	●	●		
6× 19	〃	3.62	●	●		
6× 20	〃	3.81	●	●	●	
6× 22	〃	4.20	●	●		
6× 25	〃	4.76	●	●	●	
6× 30	〃	5.72	●	●	●	●
6× 30	5,000	7.15				
6× 30	6,000	8.58		●		
6× 32	4,000	6.08	●	●	●	●
6× 32	5,000	7.6				
6× 32	6,000	9.12				
6× 35	4,000	6.68	●	●		
6× 38	〃	7.24	●	●	●	●
6× 38	5,000	9.05				
6× 38	6,000	10.9		●		
6× 40	4,000	7.60	●	●	●	●
6× 40	5,000	9.5				
6× 40	6,000	11.4		●		

●印は即納品です。

サイズ 厚さ×幅	長さ	kg/P	C B	H L	フ アン	コシ ルバ ドリ
6× 42	4,000	8.00	●	●		
6× 45	〃	8.56	●	●	●	●
6× 48	〃	9.12	●	●		
6× 50	〃	9.52	●	●	●	●
6× 50	5,000	11.9				
6× 50	6,000	14.3		●		
6× 60	4,000	11.4	●	●	●	
6× 65	〃	12.4	●	●	●	●
6× 65	5,000	15.4				
6× 65	6,000	18.5		●		
6× 70	4,000	13.3	●	●		
6× 75	〃	14.3	●	●	●	●
6× 75	6,000	21.4		●		
6× 90	4,000	17.1	●	●		
6×100	〃	19.0	●	●	●	●
6×100	6,000	28.6		●		
6×110	4,000	20.9	●	●		
6×120	〃	22.8	●	●		
6×125	〃	23.8	●	●		
6×130	〃	24.8	●	●		
6×140	〃	26.6	●	●		
6×150	〃	28.6	●	●		
8× 10	〃	2.54	●	●		
8× 16	〃	4.08	●	●		
8× 32	〃	8.12	●	●	●	
8× 38	〃	9.64	●	●		
8× 50	〃	12.7	●	●		
9× 13	〃	3.71	●	●		
9× 15	〃	4.28	●	●	●	
9× 16	〃	4.56	●	●		
9× 19	〃	5.44	●	●		
9× 20	〃	5.72	●	●	●	
9× 22	〃	6.28	●	●		
9× 25	〃	7.12	●	●	●	
9× 25	6,000	10.7	●			
9× 30	4,000	8.56	●	●	●	
9× 30	6,000	12.8	●			
9× 32	4,000	9.12	●	●	●	
9× 32	6,000	13.7	●			
9× 35	4,000	10.0	●	●		

We build the legend by stainless steel.



コールドフラットバー <4M・5M・6M>

サイズ 厚さ×幅	長さ	kg/P	C B	H L	フ レ イ ン	コ シ ル ド ド リ
9× 38	4,000	10.8	●	●	●	●
9× 38	6,000	16.3	●			
9× 40	4,000	11.4	●	●	●	
9× 40	6,000	17.1	●			
9× 45	4,000	12.8	●			
9× 50	〃	14.3	●	●	●	●
9× 50	6,000	21.4	●			
9× 60	4,000	17.1	●	●	●	
9× 65	〃	18.6	●	●	●	●
9× 65	6,000	27.8	●			
9× 75	4,000	21.4	●	●	●	●
9× 75	6,000	32.1	●			
9× 90	4,000	25.7	●	●		
9×100	〃	28.6	●	●	●	●
9×100	6,000	42.8	●			
9×125	4,000	35.7	●	●		
9×150	〃	42.8	●	●		
9×200	〃	57.2	●	●		
9×250	〃	71.2	●	●		
9×300	〃	85.6	●			
10× 15	〃	4.76	●	●	●	
10× 19	〃	6.04	●	●		
10× 20	〃	6.36	●	●	●	
10× 25	〃	7.92	●	●	●	
10× 30	〃	9.52	●	●	●	
10× 32	〃	10.2	●	●	●	
10× 38	〃	12.0	●	●	●	
10× 40	〃	12.7	●	●	●	
10× 50	〃	15.8	●	●	●	
10× 50	6,000	23.8	●			
10× 65	4,000	20.6	●	●	●	
10× 65	6,000	30.9	●			
10× 75	4,000	23.8	●	●		
10× 75	6,000	35.7	●			
10×100	4,000	31.7	●	●	●	
10×100	6,000	47.6	●			
10×125	4,000	39.6	●	●		
10×150	〃	47.6	●	●		
10×200	〃	63.6	●	●		
10×250	〃	79.2	●	●		
12× 14	〃	5.32	●			

●印は即納品です。

サイズ 厚さ×幅	長さ	kg/P	C B	H L	フ レ イ ン	コ シ ル ド ド リ
12× 16	4,000	6.08	●	●		
12× 19	〃	7.24	●	●		
12× 20	〃	7.60	●	●	●	
12× 25	〃	9.52	●	●	●	
12× 25	6,000	14.3	●			
12× 30	4,000	11.4	●	●	●	
12× 30	6,000	17.1	●			
12× 32	4,000	12.2	●	●	●	
12× 32	6,000	18.3	●			
12× 35	4,000	13.3	●			
12× 38	〃	14.5	●	●	●	●
12× 38	6,000	21.7	●			
12× 40	4,000	15.2	●	●	●	
12× 40	6,000	22.9	●			
12× 50	4,000	19.0	●	●	●	●
12× 50	6,000	28.6	●			
12× 65	4,000	24.8	●	●	●	●
12× 65	6,000	37.1	●			
12× 75	4,000	28.6	●	●	●	●
12× 75	6,000	42.8	●			
12× 90	4,000	34.2	●	●		
12×100	〃	38.1	●	●	●	●
12×100	6,000	57.1	●			
12×125	4,000	47.6	●	●		
12×150	〃	57.2	●	●		
12×200	〃	76.0	●	●		
12×250	〃	95.2	●	●		
12×300	〃	114.0	●			
16× 19	〃	9.64	●	●		
16× 20	〃	10.2	●	●	●	
16× 25	〃	12.7	●	●	●	
16× 32		16.2	●	●	●	
16× 38	〃	19.3	●	●	●	
16× 40	〃	20.3	●	●	●	
16× 50	〃	25.4	●	●	●	
16× 50	6,000	38.0	●			
16× 65	4,000	33.0	●	●		
16× 65	6,000	49.5	●			
16× 75	4,000	38.1	●	●		
16× 75	6,000	57.1	●			



コールドフラットバー <4M・5M・6M>

サイズ 厚さ×幅	長さ	kg/P	C B	H L	ファ イン	コシ ルバ ド
16×100	4,000	50.8	●	●		
16×100	6,000	76.2	●			
16×125	4,000	63.6	●	●		
16×150	〃	76.0	●	●		
16×200	〃	102.0	●	●		
16×250	〃	127.0	●	●		
16×300	〃	152.0	●			
19× 25	〃	15.1	●	●	●	
19× 32	〃	19.3	●	●	●	
19× 38	〃	22.9	●	●	●	
19× 50	〃	30.1	●	●	●	
19× 65	〃	39.2	●	●		
19× 75	〃	45.2	●	●		
19×100	〃	60.4	●	●		
19×125	〃	75.2	●	●		
19×150	〃	90.4	●	●		
19×200	〃	120.0	●	●		
19×250	〃	151.0	●	●		
19×300	〃	181.0	●			
22× 32	〃	22.3	●			
22× 38	〃	26.5	●			
22× 50	〃	34.9	●			

●印は即納品です。



SUS304 四角棒

サイズ 辺×辺	kg/P	C B	H L	ファ イン
3× 3×2M	0.142	●		
4× 4	0.508	●		
5× 5	0.792	●	●	
6× 6	1.14	●	●	
7× 7	1.56	●	●	
8× 8	2.03	●	●	●
9× 9	2.57	●	●	●
10×10	3.17	●	●	●
12×12	4.56	●	●	●
13×13	5.36	●	●	●
14×14	6.20	●	●	●
15×15	7.12	●	●	●
16× 16	8.12	●	●	●
19× 19	11.4	●	●	●
20× 20	12.7	●	●	●

●印は即納品です。

サイズ 厚さ×幅	長さ	kg/P	C B	H L	ファ イン	コシ ルバ ド
22× 65	4,000	45.2	●			
22× 75	〃	52.4	●			
22×100	〃	69.6	●			
25× 32	〃	25.4	●			
25× 38	〃	30.1	●			
25× 50	〃	39.6	●			
25× 65	〃	51.6	●			
25× 75	〃	59.6	●			
25×100	〃	79.2	●			
25×125	〃	99.2	●			
25×150	〃	119.0	●			
25×200	〃	158.0	●			
30× 50	〃	47.6	●			
30× 55	〃	52.4	●			
30× 65	〃	62.0	●			
30× 75	〃	71.2	●			
30×100	〃	95.2	●			
35× 50	〃	55.6	●			
35× 65	〃	72.0	●			
35× 75	〃	83.2	●			
35×100	〃	111.0	●			

定尺4,000mm・単位：mm						
サイズ 辺×辺	kg/P	C B	H L	ファ イン		
22× 22	15.4	●				
25× 25	19.8	●		●		
26× 26	21.4	●				
28× 28	24.9	●	●			
30× 30	28.6	●	●			
32× 32	32.5	●	●			
36× 36	41.2	●				
38× 38	46.0	●	●			
40× 40	50.8	●				
45× 45	79.2	●				
50× 50	96.0	●				
55× 55	114.0	●				
60× 60	134.0	●				
65× 65	156.0	●				

We build the legend by stainless steel.